



By appointment to The Royal Danish Court

**morsø**

since 1853



INDOOR COLLECTION DK 2023/24



# THE TRUTH ABOUT FIRE AND FLAMES

Most of us will agree that there's no smoke without fire. However, isn't there a difference between crying 'Fire!' and the sound of a softly crackling wood stove? In the daily environmental debate, we tend to react strongly to even the most logical statements. For instance, what pollutes most: heating a summer cottage with a wood-burning stove, frying bacon or lighting two candles on a cosy evening?

Most people would probably guess the stove, logically enough, since we can both see and smell the smoke. Even if science tells us that a wood-burning stove filled with dry, certified wood only accounts for a few percent of particulate emissions in a home, and that all the rest comes from clothes, cooking, candles and various other ordinary things, it's easy to assume that a cosy stove or candles are luxuries that environmentally responsible people should avoid.

When it comes to the environment and health, the truth is often more nuanced than a Facebook post by a politician or an article by an interest group, and the only certainty is that the amount of particulates in an average home is made up of such a complex combination of things that in reality it's up to you what you choose to believe.\*

At the same time, the number of products we use and consume every day, and the importance we attach to them, varies from person to person. This is why we as a society need the guidelines that have been developed to identify the benefits and harmful effects of various kinds of products. One such measure is EcoDesign 2022 which is a European standard that will ensure all stoves installed after 1st January 2022 will meet a minimum efficiency and maximum permitted carbon emissions. In relation to this, the UK Stove Industry Alliance has backed this Standard with the introduction of the SIA EcoDesign Ready label. This voluntary scheme aims to promote modern stoves that already meet the stringent requirements of EcoDesign 2022. Morsø currently have over 50 SIA EcoDesign Ready models, and while we don't deny there's no smoke without fire, we'd still claim that the smoke from a home with a Morsø stove is cleaner than much of the air that fans the flames of the environmental debate.

In any case we can assure you, or any other responsible and environmentally conscious person, that with both the EcoDesign 2022 and the SIA EcoReady labels in hand, you are free to browse this catalogue and pick out any one of the 50 SIA EcoReady labelled stoves from Morsø with a clean conscience.

Enjoy!

\*In their fine print, companies often say that they cannot be held responsible in certain cases where one of their claims does not apply. In this case, it is here to assure you that we mean exactly what we write. In Denmark, 80% of all unhealthy particulates in the open air come from abroad. The remaining 20% are thought to be a mixture of exhaust emissions from diesel cars and smoke from wood-burning stoves. However, one might wonder whether, for example, industry (and much else besides) doesn't also play a small role in producing the last 20% (!). Humidity, wind and weather play a role too, and it is worth mentioning that firewood is considered carbon neutral, because wood binds carbon dioxide when it grows and releases the same amount again both when it burns and when it rots. Indoors, the story is just as complex, and the only thing everyone can completely agree on is that all the particulates from clothes, cooking, candles and stoves are academic if you smoke tobacco at home. Thankfully, that's up to the individual. Just as it is up to you to decide whether the heat from an eco-labelled wood-burning stove with clean wood is a plus or a minus in the overall environmental accounts.







6800 SERIES

# THE WARM FEELING OF HOME

In northern Europe, a relaxed and happy home is one of the most important things in life. Well entrenched in our comfortable homes we focus around the unique Danish term, hygge, a term which so many have tried to translate, hoping to recreate it somewhere else in the world. It has never really succeeded which is due in reality to one very simple reason. The term hygge cannot be defined because it is a sense of wellbeing. Hygge is the name of a feeling and an atmosphere which is found in the very essence of our surroundings. It can be a smell, a warmth, a light in the dark or even the calmness in a crackling fire. Even the weather which so often returns us to the shelter of our homes, is a part of the thing we call Hygge. Hygge is a name. A cosy, inviting and safe name. Hygge is your home.





# 2B SERIES


No past – no future. At the beginning of the 1930s, the sculptor, Constantin Sørensen, created this impressive radiant stove, featuring Morsø's well-known decoration of squirrel and oak leaves. Then, as today, the **Morsø 2B Classic** is in great demand, and with its almost stately appearance, the stove is perfect for patrician and farm style homes. We have completely updated the combustion technology in the Morsø 2B Classic, so that it now meets today's stringent environmental requirements. There's almost no better way to have a fire than with the Morsø 2B Classic.



Morsø 2B Standard  
Item-no.: 64209821



Morsø 2B Classic  
Item-no.: 64209421



|                                       |       |                    |
|---------------------------------------|-------|--------------------|
| EN 13240 and Ecodesign2022 compliant. |       | <div>A+</div>      |
| Rated output Room                     | ..... | .8 kW              |
| Log length                            | ..... | 50 cm              |
| Weight                                | ..... | 106,5 kg / 61,5 kg |
| Efficiency net/gross                  | ..... | 83/75.5%           |
| 12 mm hearth compliant                |       |                    |
| Flue outlet top only                  |       |                    |
| Internal Flue Diameter                | ..... | 125 mm             |
| Clearance to Combustibles             |       |                    |
| Sides                                 | ..... | .850 mm            |
| Rear                                  | ..... | .400 mm            |
| Soft Furniture                        | ..... | 800 mm             |

Morsø Ø4



Ø4


The **Morsø Ø4** has been produced to meet the exacting standards of today's modern world. Style and function is the main philosophy behind the design, with special emphasis on simple operation and

environmental impact. The Ø4 captures the contemporary integration of steel and cast iron. The Ø4 uses our state of the art airwash system to allow you perfect viewing of the dancing flames through the large windows.



Morsø Ø4  
Item-no.: 63000121

Morsø Ø4



EN 13240 and Ecodesign2022 compliant.

A+

Rated output . . . . . 5 kW  
Log length . . . . . 28 cm  
Weight . . . . . 83 kg  
Efficiency net/gross: . . . . . 81/73,3%  
12 mm hearth compliant

Flue outlet, rear and top option internal Ø. . . . . 125 mm

**Clearance to Combustibles**

Top . . . . . 500 mm  
Sides . . . . . 550 mm  
Rear. . . . . 650 mm  
Soft Furniture. . . . . 700 mm

Optional outside air kit.





Morsø 1010

# 1010


Retaining the well-known Morsø details and straightforward operation, **Morsø 1010** is a well known member of the family of small classic Morsø stoves. Naturally, the delightful atmosphere, that many of us remember as something quite unique

from past campfires, will be provided by the large glass area. Morsø 1010 is carried out entirely in sturdy cast iron – the best imaginable material for woodburning stoves. Combustionwise, Morsø 1010 meets the strictest Danish environmental standards.



Morsø 1010  
Item-no.: 64101121

Morsø 1010



EN 13240 and Ecodesign2022 compliant



Rated output . . . . . 5 kW  
Log length. . . . . 28 cm  
Weight . . . . . 70,5 kg  
Efficiency net/gross: . . . . . 76/69%  
12 mm hearth compliant

Flue outlet, rear and top option internal ø. . . . . 125 mm

**Clearance to Combustibles**

Top . . . . . 500 mm  
Sides . . . . . 500 mm  
Rear. . . . . 175 mm  
Soft Furniture. . . . . 850 mm







Morsø 1442

## 1400 SERIES

A steady beating heart. The **Morsø 1400** is the quintessence of a charming stove. It represents what was the heart of many a home, what we know and remember from our childhood. The combustion technology of these classic stoves have since then been further developed and improved so that harmful particles and surplus gases are burnt

off. That's why, today, the stoves fulfil the strictest environmental requirements and also bear the Nordic Swan Eco-label. Despite all improvements in technology there are some details which remain timeless and a sign of quality, so Morsø's characteristic squirrel can still be found on the sides. It also available with contemporary ribbed sides.




Morsø 1412  
Item-no.: 64141921



Morsø 1442  
Item-no.: 64145421

Morsø 1412



EN 13240 and Ecodesign2022 compliant.



Rated output . . . . . 5 kW  
Log length. . . . . 28 cm  
Weight . . . . . 72,5-89 kg  
Efficiency net/gross: . . . . . 83/75,5 %  
12 mm hearth compliant

Flue outlet, rear and top option internal ø. . . . . 125 mm

### Clearance to Combustibles

Top . . . . . 500 mm  
Sides . . . . . 600 mm  
Rear. . . . . 200 mm  
Soft Furniture. . . . . 800 mm





Morsø 3116

# 3100 BADGER SERIES

The **Morsø 3100 series** incorporates the best from the classic Morsø design, but takes advantage of the latest combustion principles. Efficient and environmentally friendly multi-fuel stoves The Morsø 3112 is equipped with riddling grate and ashpan, making it easy to remove ash

and clean the stove. It is manufactured using the latest combustion principles with tertiary air supply and meet the most stringent environmental requirements. It can be fired with wood, briquettes or approved smokeless fuel and is suitable for heating areas of up to 75 cubic metres.




Morsø 3112  
Item-no.: 64311321



Morsø 3116  
Item-no.: 64311821



Morsø 3142  
Item-no.: 64315521



EN 13240 and Ecodesign2022 compliant.



|                        |               |
|------------------------|---------------|
| Rated output           | 5 kW          |
| Log length             | 32 cm         |
| Weight                 | 94,5-109,5 kg |
| Efficiency net/gross   | 81/73,7%      |
| 12 mm hearth compliant |               |

Flue outlet, rear and top option internal ø. 125 mm

|                                  |        |
|----------------------------------|--------|
| <b>Clearance to Combustibles</b> |        |
| Top                              | 500 mm |
| Sides                            | 600 mm |
| Rear                             | 200 mm |
| Soft Furniture                   | 800 mm |

Optional outside air kit available.  
(to use stove as woodburner only)





Morsø 6148



# 6100 SERIES

The **Morsø 6100-series** fans the flames. The stove's unique combustion system helps ensure a higher temperature in the combustion chamber, which means it burns off the flue gases. This provides you with a cleaner and more environmentally-friendly combustion and a higher level of efficiency, guaranteeing you good fuel economy. Furthermore, the elegantly designed glass door and hidden mountings provide a good view of the fire and flames. The Morsø 6100-series are 80.1% net efficient with almost no smoke emissions.




Morsø 6140  
with low base  
Item-no.: 64610521

Morsø 6143  
with log storage  
Item-no.: 64611621

Morsø 6148  
on pedestal  
Item-no.: 64610621

Morsø 6148



|                                                             |            |                                                                                       |
|-------------------------------------------------------------|------------|---------------------------------------------------------------------------------------|
| EN 13240 and Ecodesign2022 compliant.                       |            |  |
| Rated output . . . . .                                      | 5 kW       |                                                                                       |
| Log length. . . . .                                         | 28 cm      |                                                                                       |
| Weight . . . . .                                            | 72,5-89 kg |                                                                                       |
| Efficiency net/gross:. . . . .                              | 83/75,5 %  |                                                                                       |
| 12 mm hearth compliant                                      |            |                                                                                       |
| Flue outlet, rear and top option internal Ø. . . . . 125 mm |            |                                                                                       |
| <b>Clearance to Combustibles</b>                            |            |                                                                                       |
| Top . . . . .                                               | 500 mm     |                                                                                       |
| Sides . . . . .                                             | 600 mm     |                                                                                       |
| Rear. . . . .                                               | 200 mm     |                                                                                       |
| Soft Furniture. . . . .                                     | 800 mm     |                                                                                       |





## 6800 SERIES

The **Morsø 6800-series** is Morsø's well-loved ellipse cast iron stove with an elegant rounded-off top that emphasises its organic shape. The beautiful rustic cast iron suits and enhances any home. Deep in

the heart of the stove the famous squirrel can be seen, bringing joy and warmth with the aid of the flames. The door handle stays cool during use, and conceals an elegant solution with a self-closing door.




Morsø 6843  
with log storage  
Item-no.: 64680021



Morsø 6848  
on pedestal  
Item-no.: 64680121

Morsø 6843



EN 13240 and Ecodesign2022 compliant.



Rated output . . . . . 5 kW  
Log length. . . . . 30 cm  
Weight . . . . . 103,5-117 kg  
Efficiency net/gross: . . . . . 80,1/72,9%  
12 mm hearth compliant

Flue outlet, rear and top option internal Ø. . . . . 125 mm

### Clearance to Combustibles

Top . . . . . 500 mm  
Sides . . . . . 400 mm  
Rear. . . . . 150 mm  
Soft Furniture. . . . . 900 mm

Optional outside air kit available.





Morsø 7110



## 7110 - VIKING SERIES

The **Morsø 7110** wood stove , like all Morsø cast iron stoves, has a very large glass panel without any interfering bars and a superior air wash system to keep the glass clean for an unobstructed view of the fire. Designed with Scandinavian simplicity, the Morsø 7110 with sharp edges and straight lines

are combined with classical American elements such as the horizontal design and distinct profiles in the top and bottom plates. Whether you have a contemporary-designed home or a classical one, the Morsø 7110 will seamlessly blend in to make your home cozy and warm.



Morsø 7110  
Item-no.: 64710921

EN 13240 and Ecodesign2022 compliant.



Rated output . . . . . 5,4 kW  
Log length . . . . . 40 cm  
Weight . . . . . 118,5 kg  
Efficiency net/gross: . . . . . 75,5/68,7%  
12 mm hearth compliant

Flue outlet, rear and top option internal Ø. . . . . 155 mm


### Clearance to Combustibles

Top . . . . . 500 mm  
Sides . . . . . 500 mm  
Rear. . . . . 300 mm  
Soft Furniture. . . . . 1000 mm

Optional outside air kit available.



Morsø 7110





Morsø 7443

## 7400 SERIES

**Morsø 7400-series** takes the best qualities of modern wood burning stoves and uses them to give the consumer a modern take on a classic design. At the same time the series celebrates Morsø's 160th anniversary and, for the first time

presents the newly redesigned "Squirrel" motif. This motif decorates the matt black side of the stove and emphasizes the quality finish whilst celebrating our 160 year history as the leading manufacturer of high quality wood burning stoves.



Morsø 7440  
with low base



Morsø 7443  
with log storage




Morsø 7449  
on pedestal



Morsø 7470  
wall hung

Morsø 7440



EN 13240 and Ecodesign2022 compliant.



Rated output . . . . . 4.3 kW  
Log length . . . . . 23 cm  
Weight . . . . . 108,5-116,5 kg  
Efficiency net/gross: . . . . . 82/74,5%  
12 mm hearth compliant

Flue outlet, rear and top option internal Ø. . . . . 125 mm

### Clearance to Combustibles

Top . . . . . 500 mm  
Sides . . . . . 450 mm  
Rear. . . . . 200 mm  
Soft Furniture. . . . . 850 mm

Optional outside air kit available








Morsø 7940

# 7900 SERIES

With the **Morsø 7900-series**, Morsø has worked with the designer Monica Ritterband to develop and create a new series of cast iron wood-burners, whose functionality and design suit any home - and of course with quality as the key.

The Morsø 7900-series is an innovative design based on a modular system, that makes it possible to customise each wood-burning stove to suit individual needs, both in terms of design and functionality.



|                                                           |              |          |
|-----------------------------------------------------------|--------------|----------|
| EN 13240 and Ecodesign2022 compliant.                     |              | <b>A</b> |
| Rated output                                              | 7,3 kW       |          |
| Log length                                                | 33 cm        |          |
| Weight                                                    | 151,5-166 kg |          |
| Efficiency net/gross                                      | 79/71,9%     |          |
| 12 mm hearth compliant                                    |              |          |
| Flue outlet, rear and top option internal $\varnothing$ . |              | 155 mm   |
| <b>Clearance to Combustibles</b>                          |              |          |
| Top                                                       | 500 mm       |          |
| Sides                                                     | 700 mm       |          |
| Rear                                                      | 125 mm       |          |
| Soft Furniture                                            | 900 mm       |          |

Optional outside air kit available.  
7940, 7942, 7943 and 7993 only.





# 8643


The new in-house designed **Morsø 8643** will be one of the most powerful Morsø stoves ever. With a high performance output and a log length of 42 cm, combined with the sublime combustion technique from the 6100- and 8100-series, this trusty source of comfort will

spread warmth time and again. Although its size, the Morsø 8643 appears light and timeless with its clean and simple design. This guarantees you a classic and beautiful stove that will last for decades. The stove's very large glass area provides a feeling of watching an open fire.



Morsø 8643

Morsø 8643



EN 13240 approved and Ecodesign2022 compliant.

Rated output . . . . . 8,9 kW  
Log length. . . . . 38 cm  
Weight . . . . . 150 kg  
Efficiency net/gross. . . . . 75% / 68,25%  
12 mm hearth compliant

Flue outlet, rear and top option internal Ø. . . . . 150 mm

## Clearance to Combustibles

Top . . . . . 500 mm  
Sides . . . . . 600 mm  
Rear. . . . . 225 mm  
Soft Furniture. . . . . 1150 mm

Outside Air Kit available.





Morsø s11-42

# S11 SERIES

The **Morsø S11** range is the epitome of simple, timeless design. When designing the stove, we attached a great deal of importance to creating an expression with exciting contrasts. Tight lines and soft curves. The steel's minimalistic and light expressions serve as the perfect counterbalance to the stove's large glass door, which affords a generous view of the beautiful and warming flames. The **S11** stoves make up a well-designed and inspired range within the category for low heating requirements.




Morsø S11-40

Morsø S11-42  
with legs

Morsø S11-43  
with plain base

Morsø S11-42



EN 13240 and Ecodesign2022 compliant.



Rated output . . . . . 4 kW  
Log length . . . . . 25 cm  
Weight . . . . . 61-70 kg  
Efficiency net/gross: . . . . . 83,4/75,9%  
12 mm hearth compliant

Flue outlet, rear and top option internal ø. . . . . 125 mm

**Clearance to Combustibles**  
Top . . . . . 500 mm  
Sides . . . . . 320 mm  
Rear. . . . . 240 mm  
Soft Furniture. . . . . 800 mm

Optional outside air kit available.



Morsø 4043



# 4043 & 4143

The **Morsø 4043** is a unique stove that – owing to its unpretentious and functional design – is easily fitted into most homes. The height combined with the unadorned surfaces and the impressive view of the fire are very characteristic elements of this stove. Morsø 4043 has a dependable burning chamber

that contributes to the stove's user-friendliness when topping up with additional firewood. This stove not only meets the strictest environmental standards, it is also equipped with a handle that will always remain cold.




Morsø 4043  
Item-no.: 65404321



Morsø 4143  
Item-no.: 65414321

Morsø 4043



|                                                             |           |                                                                                       |
|-------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|
| EN 13240 and Ecodesign2022 compliant.                       |           |  |
| Rated output . . . . .                                      | 5 kw      |                                                                                       |
| Log length. . . . .                                         | 30 cm     |                                                                                       |
| Weight . . . . .                                            | 98-124 kg |                                                                                       |
| Efficiency net/gross: . . . . .                             | 81,3/74%  |                                                                                       |
| 12 mm hearth compliant                                      |           |                                                                                       |
| Flue outlet, rear and top option internal Ø. . . . . 125 mm |           |                                                                                       |
| <b>Clearance to Combustibles</b>                            |           |                                                                                       |
| Top . . . . .                                               | 500 mm    |                                                                                       |
| Sides . . . . .                                             | 400 mm    |                                                                                       |
| Rear. . . . .                                               | 200 mm    |                                                                                       |
| Soft Furniture. . . . .                                     | 800 mm    |                                                                                       |

Optional outside air kit available.





Morsø 4412



## 4412


The **Morsø 4412** - A popular addition to our range of steel stoves the 4412 offers a unique large landscape door with a panoramic view of the firebox and flame picture. Developed with the U.K. market specifically in mind the Morsø 4412 offers sleek clean lines to compliment any living space where style and comfort go hand in hand. The

addition of a functional “magnetic” locking mechanism and a variety of base /leg options makes the Morsø 4412 the perfect choice for any modern stove enthusiast. The Morsø 4412 is DEFRA approved making it suitable to burn wood in smoke controlled areas, EN13240 and Ecodesign 2022 compliant and also offers the added convenience of an optional outside air kit.



Morsø 4412 - legs 110 mm

Morsø 4412



EN 13240 and Ecodesign2022 compliant.

A+

Rated output . . . . . 5 kw  
Log length. . . . . 40 cm  
Weight . . . . . 85 kg  
Efficiency net/gross: . . . . . 82,3/74,9%

Flue outlet, rear and top option internal Ø. . . . . 125 mm

### Clearance to Combustibles

Top . . . . . 500 mm  
Sides . . . . . 450 mm  
Rear. . . . . 300 mm  
Soft Furniture. . . . . 1100 mm

Optional outside air kit available.



Morsø 5660



# 5660


An original wood-burning stove & the joys of a crackling fire Morsø is adding yet another great product to its extensive range of wood burning stoves, the **Morsø 5660 insert**. Continuing the Morsø heritage, the Morsø 5660 insert is manufactured in high grade cast iron; a strong, durable material particularly well-suited for freestanding stoves and especially wood burning inserts.

Creating comfort and cosiness in any home The Morsø 5660 insert is probably the cleanest and most modern appliance in its class. The natural, vivid texture of the cast iron surface makes for a rustic yet elegant appearance. Relative to its size, the Morsø 5660 insert has a large 'air-washed' window, that provides beautiful unbroken view of the dancing flames within. The simple design of the 5660 insert will create comfort and cosiness in any home.



Morsø 5660 insert  
Item-no.: 64566221

Morsø 5660



EN 13229 approved and Ecodesign2022 compliant.



|                                 |          |
|---------------------------------|----------|
| Rated output . . . . .          | 7,3 kW   |
| Log length. . . . .             | 58 cm    |
| Weight . . . . .                | 125 kg   |
| Efficiency net/gross: . . . . . | 82/74,6% |

|                                                         |        |
|---------------------------------------------------------|--------|
| Flue outlet, rear and top option<br>internal Ø. . . . . | 155 mm |
|---------------------------------------------------------|--------|

|                                  |        |
|----------------------------------|--------|
| <b>Clearance to Combustibles</b> |        |
| Sides . . . . .                  | 400 mm |
| Rear. . . . .                    | 100 mm |
| From Floor . . . . .             | 300 mm |

Outside air kit available.





Morsø S81-g1

# S81

The **Morsø S81** is a different and exciting insert, specially designed for smaller rooms. This stylish fireplace stands out for its modern appearance, in which steel and cast iron complement each other to best effect. The stove door is in the well known Morsø quality cast iron, while the surrounding trim is available in black or silver as additional purchase.




Morsø S81 - with black trim



Morsø S81 - with silver trim

Morsø S81



EN 13229 approved and Ecodesign2022 compliant.



|                                 |          |
|---------------------------------|----------|
| Rated output . . . . .          | 4 kW     |
| Log length . . . . .            | 25 cm    |
| Weight . . . . .                | 58 kg    |
| Efficiency net/gross: . . . . . | 88/80.5% |

Flue outlet, rear and top option internal Ø. . . . . 125 mm

## Clearance to Combustibles

|                      |        |
|----------------------|--------|
| Sides . . . . .      | 225 mm |
| Rear. . . . .        | 100 mm |
| From Floor . . . . . | 150 mm |

Outside air kit available.





# S101-11 & S101-12

**Morsø S101** series are advanced inset fireboxes, that both meets the strictest environmental requirements and reflects our strong traditions of workmanship. The built in fireplaces distribute the heat efficiently throughout the room and leads to truly comfortable warmth. We all remember open fireplaces, but

they have the unfortunate disadvantage that, just like a camp fire, they cause radiation in front and draughts behind. We avoid this by using a firebox, as the convection air in the stove mixes with the air in the room and distributes the heat. This gives the greatest possible comfort near the fireplace.




Morsø S101-11  
one-sided with hinged door  
Item-no.: 65754721



Morsø S101-12  
one-sided with sliding door  
Item-no.: 65754621

Morsø S101-12



EN 13229 approved and Ecodesign2022 compliant.



|                        |              |
|------------------------|--------------|
| Width (built in)       | 805 mm       |
| Height (built in)      | 1339-1539 mm |
| Depth (built in)       | 602 mm       |
| Weight                 | 156 kg       |
| Nominal output         | 10 kW        |
| Efficiency (net/gross) | 83.4/76%     |
| Flue outlet            | Ø 155 mm     |

For full dimensional details please see website.

## Accessories

- 2 pcs. 455 mm Morsø Heating Grilles are needed
- one above and one below
- Decorative frame
- Flue Collar Adapter Ø180-150 mm





Morsø S120-21

# S120 & S121 & S122

All **Morsø S120 - S122** inserts have a through wall firebox with glass on both sides, allowing the flames, fire and warmth to be enjoyed in two separate areas at the same time. The wide format of the stove will spread comfort through any home. The built in fireplace fits in perfectly with stylish furnishings, and the aesthetic effect of the flames inspires thoughts of a beautiful painting or a modern flat screen TV. The Morsø 120 tunnel inset fireplace can be supplied either with a folding door, which gives a fantastic view of the flames(S120-21) or with a frictionless guillotine door(S120-22).



Morsø S120-22  
two-sided with sliding door  
Item-no.: 65754021




Morsø S121-21  
one-sided with hinged door  
Item-no.: 65754121



Morsø S122-22  
one-sided with sliding door  
Item-no.: 65754221

Morsø S101-12



EN 13229 approved and Ecodesign2022 compliant.



|                        |              |
|------------------------|--------------|
| Width (built in)       | 800 mm       |
| Height (built in)      | 1125-1325 mm |
| Depth (built in)       | 527 mm       |
| Weight                 | 129 kg       |
| Nominal output         | 10 kW        |
| Efficiency (net/gross) | 80,9/73,6%   |
| Flue outlet            | Ø 155 mm     |

For full dimensional details please see website.

### Accessories

3 pcs. 455 mm Morsø Heating Grilles are needed  
– two above and one below  
Decorative frame  
Flue Collar Adapter Ø180-150 mm



Morsø S160-32

## S140 & S160

Enjoy the fire and the dancing flames in an entirely new way! With its uninterrupted, 3-sided glazing, the **Morsø S-160-32** is the closest you can get to an invisible stove - visually an open fireplace. The large continuous glass door gives a 3-dimensional and unhindered view of the fire. Morsø S160-32

opens up entirely new options for room layouts and stands out as a central feature of the house, leading to an exceptional class of exclusivity. The inset is supplied with a frictionless rise-and-fall door closer that elegantly disappears behind the wall.




Morsø S140-41  
corner with hinged door  
Item-no.: 65754421



Morsø S160-32  
three-sided with sliding door  
Item-no.: 65755821

Morsø S161-32  
three-sided with sliding door  
Item-no.: 65755921

Morsø S160-32



EN 13229 approved and Ecodesign2022 compliant.

A

|                        |               |
|------------------------|---------------|
| Width (built in)       | .550 mm       |
| Height (built in)      | .1395-1525 mm |
| Depth (built in)       | .700 mm       |
| Weight                 | .217 kg       |
| Nominal output         | .10 kW        |
| Efficiency (net/gross) | .81/73,7%     |
| Flue outlet            | Ø 155 mm      |

For full dimensional details please see website.

### Accessories

2 pcs. 455 mm Morsø Heating Grilles are needed  
– one above and one below  
Decorative frame  
Support stand + support frame  
Flue Collar Adapter Ø180-150 mm.





MORSØ CURVA FIRE TOOLS  
Item-no.: 62916521



MORSØ CURVA POKER  
Item-no.: 62916421



MORSØ COMPLETE FIRE TOOLS 40 CM  
Item-no.: 62917121



MORSØ LOOP FIRE TOOL SET  
Item-no.: 62917021



MORSØ ELLIPSE FIRE TOOLS  
Item-no.: 62917421



MORSØ LEATHER GLOVE  
Right: Item-no.: 62900700 /  
Left: Item-no.: 62900800



MORSØ ADRIAN FIRE TOOLS  
Item-no.: 62993300



MORSØ ADRIAN FIREWOOD BASKET  
Item-no.: 62993400



MORSØ FIREWOOD BOX  
Item-no.: 62920521



MORSØ GASLIGHTER  
Item-no.: 62989300



MORSØ FLUE GAS THERMOMETER  
Item-no.: 62901200



MORSØ ASH &  
STORAGE BUCKET  
Item-no.: 62905700



MORSØ CLASSIC FIRE TOOLS  
69 CM  
Item-no.: 62900221



MORSØ MOISTURE METER  
Item-no.: 62929900



MORSØ CAST IRON TRIVET  
WITH SQUIRREL  
Item-no.: 61753301



MORSØ CAST IRON HUMIDIFIER  
2,0 L Item-no.: 61853479 /  
4,5 L Item-no.: 61853079



MORSØ CANVAS WOOD CARRIER  
Item-no.: 62912200



MORSØ FIREWOOD BUCKET  
Item-no.: 62900421 H32 x Ø40 cm






MORSØ ASSEMBLY & MAINTENANCE



MORSØ DUSTPAN & BROOM  
Item-no.: 62917221



MORSØ CONFORM FIRE TOOLS  
Item-no.: 62906121




MORSØ CHILD GUARD 110 X 110 X 70 CM  
Item-no.: 62906821






# ELEGANT & EXCLUSIVE


Morsø have been at the forefront of high quality cast iron stoves for more than 160 years. We now offer a superb range of glass hearth plates to compliment any installation.




CORNER – ANGLED FRONT




CORNER – CIRCULAR FRONT



FLAT BACK CIRCLE




CIRCULAR FRONT



BEVEL EDGE SECTION  
(Actual Size)



# ENVIRONMENTALLY FRIENDLY COMBUSTION



The cross-section of the stove shown above outlines the stove's combustion and convection airflow system. Cold air is drawn into the stove and heated as its passes through the cast iron channels (the heated air washes the glass keeping it clean, clear and free from soot). The hot air also provides perfectly heated combustion air (in addition the heated tertiary air aids secondary combustion of any smoke and gasses, increasing efficiency and reducing the environmental impact).



We're hot for fire. One of our most important areas of expertise is the production of environmentally-aware stoves, and we happily describe ourselves as experts in combustion technology.



---

In 1853 the young N.A Christensen left his job as an accountant to start an adventure involving an iron foundry. An adventure which started in a factory building in Nykøbing Mors. Despite tough competition from the foundries in the larger cities, it would turn out that a small collection of smiths, lathe and wood workers, created an icon which managed to reach far beyond the city it was created in. An icon created through innovation, built on design, quality and of great craftsmanship, and which therefore always stand comfortably in any home whether in Denmark or abroad. An icon we all know as Morsø.

---



---

[morsoe.com](http://morsoe.com)  [morsoemoments](https://www.instagram.com/morsoemoments)